

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Floorfolio Industries

110 Mayfield Ave, Edison, NJ, United States

For the following product(s):

Flooring Adhesive:

FloorFolio 9000, FloorFolio 9100, FloorFolio 9200

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (November 2022).

Highest Specified Product Application Amount: 1,560 g/m²

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Registration # SCS-FS-02919

Valid from: March 1, 2024 to February 28, 2025

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



A handwritten signature in black ink.

Nicole Munoz, Vice President

SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA